Tecco®
Living Paper!

PRODUCT RANGE
SORTIMENTSLISTE
04/2006

mediaware®



PRODUCTION
INKJET

Index

1. mediaware Production I.1

The **mediaware Production** product family contains tailor made printing media for professional printing jobs offering maximum user flexibility regarding products, sizes and applications. The results that can be achieved will meet the highest quality standards. If you search products for your Indoor or Outdoor applications - here you will find the best.

1.1. Matt printing media I.1
1.2. Glossy and semi matt printing media I.10
1.3. Transparent printing media I.15
1.4. Self-adhesive printing media I.18
1.5. Transfer papers I.20
1.6. Textile and textile-like printing media I.21

2. mediaware Digital Photo

mediaware Digital Photo papers were specially developed for printing digital camera photos using ink-jet photo printers. The special coatings of the **mediaware Digital Photo papers** offer extremely high resolution, very good color fidelity, color brilliance and a very fast drying. Using **mediaware Digital Photo papers** assures achieving maximum quality output from your printer.

NEW**:** Optimize your printing results by using the recommended printer settings for the **mediaware Digital Photo** media. You can find them in each box of our **mediaware Digital Photo** paper.

NEW**:** Get professional photo prints by using the new **mediaware Digital Photo** RGB ICC profiles for Adobe™ Photoshop®, which are available for the most common photo printers for Windows® and Macintosh® platforms.

2.1. Matt printing media
2.2. Glossy and semi matt printing media
2.3. Printing media for special applications

3. mediaware Color Laser

For professional color laser printing applications our **mediaware Color Laser** product family offers you the same high quality as you know of our inkjet products. You will be surprised of the variety of products, which we can already offer for this young market. Be one step ahead with our mediaware products also in color laser printing.

3.1. Matt printing media
3.2. Glossy and semi matt printing media
3.3. Transparent printing media
3.4. Self-adhesive printing media
3.5. Transfer papers
3.6. Printing media for special applications

More details in list 'mediaware Digital Photo'

More details in list 'mediaware Color Laser'

Please visit our homepage at **http://www.tecco.de** and use our Tecco PRODUCTFINDER to create your own personal compatibility list!

Tecco QUICKFINDER

solution guide

mediaware® Production

Printing media				Dye inks Piezo	Dye inks BubbleJet	Pigmented inks Piezo	Pigmented inks BubbleJet	Wipe fast	Water resistant	Fire resistant Class B1	Page
				recommended for				Special characteristics			
1.1. Matt printing media											
mediaware Production CL 350		(80 g/sqm)	NEW	■	■	■	■				I.1
mediaware Production CL 450		(90 g/sqm)		■	■	■	■				I.1
mediaware Production CL 500		(120 g/sqm)	NEW	■	■	■	■				I.2
mediaware DIL Preproofer IMPOCHECK	Preproofer	(120 g/sqm)	NEW	■	■	■	■	●			I.2
mediaware Production CH 300 SP		(90 g/sqm)		■	■	■	■	●			I.3
mediaware Production CH 305 SP		(120 g/sqm)		■	■	■	■	●			I.4
mediaware Production CH 340 Premium		(120 g/sqm)		■	■	■	■	●			I.5
mediaware Production CH 355 SP		(165 g/sqm)		■	■	■	■	●			I.6
mediaware Production CH 330 DUO Premium		(100 g/sqm)		■	■	■	■	●			I.6
mediaware DIL Preproofer DUO Matt	Preproofer	(100 g/sqm)		■	■	■	■	●			I.7
mediaware Production CH 345 DUO		(130 g/sqm)		■	■	■	■	●			I.7
mediaware Production CH 355 DUO		(170 g/sqm)		■	■	■	■	●			I.7
mediaware Production CHFR/II		(125 g/sqm)		■	■	■	■	●		●	I.8
mediaware Production CHWF		(140 g/sqm)		■	■	■	■	●	●		I.8
mediaware Production Synthetic Paper WF		(90 g/sqm)		■	■	■	■	●	●		I.9
mediaware Production Tyvek WF		(150 g/sqm)		■	■	■	■	●	●		I.9
mediaware Production Vinyl Banner WR/II		(510 µ)		■	■	■	■	●	●		I.10
1.2. Glossy and semi matt printing media											
mediaware Production CHSWF 'Heavy' Glossy		(180 g/sqm)		■	■		■	●			I.10
mediaware Production CHS-GLU/II Glossy		(190 g/sqm)		■	■	■	■	●			I.11
mediaware Production DuoGloss MP		(245 g/sqm)	NEW	■	■	■	■				I.11
mediaware Production SCPP135 Semimatt		(135 g/sqm)		■	■	■	■	●			I.12
mediaware Production CHS-SMU/II Semiglossy		(190 g/sqm)		■	■	■	■	●			I.13
mediaware Production CPGWF/II Semimatt		(150 g/sqm)		■	■	■	■	●			I.14
mediaware Production CPGWF/II DUO Semimatt		(170 g/sqm)		■	■	■	■	●			I.14
mediaware DIL Preproofer DUO Semimatt	Preproofer	(170 g/sqm)		■	■	■	■	●			I.15
1.3. Transparent printing media											
mediaware Production Transparentpapier		(95 g/sqm)			■						I.15
mediaware Production Screen Film		(139 µ)		■	■	■	■	●			I.16
mediaware Production Screen Film Sensor		(139 µ)	NEW	■	■	■	■	●			I.16
mediaware Production Backlit MP Universal		(140 µ)		■	■	■	■	●	●		I.17
mediaware Production Backlit Premium WF		(145 µ)		■	■	■	■	●	●		I.17
1.4. Self-adhesive printing media											
mediaware Production 177 Matt		(190 g/sqm)		■	■	■	■				I.18
mediaware Production CHS-SMU/II SK Semiglossy		(280 g/sqm)		■	■	■	■	●			I.18
mediaware Production CHS-GLU/II SK Glossy		(280 g/sqm)		■	■	■	■	●			I.19
mediaware Production Synthetic Paper WF/SK Matt		(160 g/sqm)	€	■	■	■	■	●	●		I.19
mediaware Production Vinyl WR/SK Matt		(300 µ)		■	■	■	■	●	●		I.20
1.5. Transfer papers											
mediaware Production UNIVERSAL Transferpapier		(170 g/sqm)		■	■						I.20
1.6. Textile and textile-like printing media											
mediaware Production 'Japan-Faser'		(80 g/sqm)		■	■					●	I.21

mediaware®
Production

Printing media	NEW	part no.	unit	size	core	Dye inks Piezo	Dye inks BubbleJet	Pigmented inks Piezo	Pigmented inks BubbleJet	Wipefast	Water resistant	Fire resistant Class B1 (DIN 4102)
						recommended for				Special characteristics (depending on ink used)		
1.1. Matt printing media												
mediaware Production CL 350 (80 g/qm)												
Uncoated paper, e.g. for CAD and layout proofs universal paper with excellent price / performance ratio	**NEW**	6755610050	**6** rolls	61,0 cm x 50 m (24")	2"							
	NEW	6755914050	**6** rolls	91,4 cm x 50 m (36")	2"							
	NEW	6755914100	**2** rolls	91,4 cm x 100 m (36")	2"							
	NEW	6755107050	**6** rolls	106,7 cm x 50 m (42")	2"							
	NEW	6755107100	**2** rolls	106,7 cm x 100 m (42")	2"							
mediaware Production CL 450 (90 g/sqm)												
Uncoated paper , e.g. for CAD and layout proofs		5911210297	200 sheets	DIN A4								
		5911297420	200 sheets	DIN A3								
		5911330483	200 sheets	DIN A3+								
		5911420594	200 sheets	DIN A2								
		5911480628	200 sheets	DIN A2+								
		5911594841	200 sheets	DIN A1								
		5911625914	200 sheets	DIN A1+								
		5911841118	200 sheets	DIN A0								
		5911914125	200 sheets	DIN A0++								
		5911432051	roll	43,2 cm x 50 m (17")	3" *)							
		5911610050	roll	61,0 cm x 50 m (24")	2"							
		5911914050	roll	91,4 cm x 50 m (36")	2"							
	NEW	5911914059	**6** rolls	91,4 cm x 50 m (36")	2"							
		5911107050	roll	106,7 cm x 50 m (42")	2"							
		5911127050	roll	127,0 cm x 50 m (50")	2"							
		5911999998	**Sample**	43,2 cm x 5 m (17")	3" *)							

***) All roll units are supplied with each two adapters 3" to 2" core.**

mediaware® Production

Printing media

1.1. Matt printing media

mediaware Production CL 500 (120 g/sqm)

Uncoated paper , e.g. for CAD and layout proofs; suitable also for 2-side prints

***) All roll units are supplied with each two adapters 3'' to 2'' core.**

NEW	part no.	unit	size	core
NEW	6753432050	roll	43,2 cm x 50 m (17")	3" *)
NEW	6753610050	roll	61,0 cm x 50 m (24")	2"
NEW	6753914050	roll	91,4 cm x 50 m (36")	2"
NEW	6753914076	roll	91,4 cm x 75 m (36")	3" *)
NEW	6753107050	roll	106,7 cm x 50 m (42")	2"
NEW	6753109076	roll	109,0 cm x 75 m (42,9")	3" *)
NEW	6753127076	roll	127,0 cm x 75 m (50")	3" *)
NEW	6753999999	Sample	43,2 cm x 5 m (17")	3" *)

mediaware DIL Preproofer Impocheck (120 g/sqm)

Double-side uncoated and calandered paper, high resolution, 1440 dpi for 2-side proofing; packing units: 24"x50m: 30 rolls per pallet or 10 rolls per welltainer; 44"x50m 15 rolls per pallet or 6 rolls per welltainer

NEW	part no.	unit	size	core
NEW	6519610052	roll	61,0 cm x 50 m (24")	6"
NEW	6519111052	roll	111,8 cm x 50 m (44")	6"

Dye inks Piezo	Dye inks BubbleJet	Pigmented inks Piezo	Pigmented inks BubbleJet	Special characteristics (depending on ink used)
recommended for				Wipefast, Water resistant, Fire resistant Class B1 (DIN 4102)

mediaware® Production

Printing media	NEW	part no.	unit	size	core	Dye inks Piezo / recommended for	Dye inks BubbleJet / recommended for	Pigmented inks Piezo / recommended for	Pigmented inks BubbleJet / recommended for	Special characteristics (depending on ink used): Wipefast	Water resistant	Fire resistant Class B1 (DIN 4102)

1.1. Matt printing media

mediaware Production CH 300 SP **(90 g/sqm)**

Coated paper, high resolution, 1440 dpi, for poster plots in photo quality, universal paper with excellent price / performance ratio

NEW	part no.	unit	size	core
	5940210297	200 sheets	DIN A4	
	5940297420	200 sheets	DIN A3	
	5940330483	200 sheets	DIN A3+	
	5940420594	200 sheets	DIN A2	
	5940480628	200 sheets	DIN A2+	
	5940594841	200 sheets	DIN A1	
	5940625914	200 sheets	DIN A1+	
	5940841118	200 sheets	DIN A0	
	5940914125	200 sheets	DIN A0++	
	5940210015	roll	21,0 cm x 15 m (8,3")	2"
	5940329015	roll	32,9 cm x 15 m (13")	2"
	5940420015	roll	42,0 cm x 15 m (16,5")	1"
	5940432045	roll	43,2 cm x 45 m (17")	3" *)
	5940610045	roll	61,0 cm x 45 m (24")	2"
	5940914045	roll	91,4 cm x 45 m (36")	2"
NEW	5940914059	6 rolls	91,4 cm x 45 m (36")	2"
	5940914070	roll	91,4 cm x 70 m (36")	2"
	5940107045	roll	106,7 cm x 45 m (42")	2"
	5940111045	roll	111,8 cm x 45 m (44")	2"
	5940127045	roll	127,0 cm x 45 m (50")	2"
	5940135045	roll	135,0 cm x 45 m (53,125")	3" *)
	5940137045	roll	137,0 cm x 45 m (54")	2"
	5940137070	roll	137,0 cm x 70 m (54")	2"
	5940152045	roll	152,4 cm x 45 m (60")	2"
	5940999997	Sample	43,2 cm x 5 m (17")	3" *)

***) All roll units are supplied with each two adapters 3" to 2" core.**

mediaware®
Production

Printing media	NEW	part no.	unit	size	core	Dye inks Piezo / recommended for	Dye inks BubbleJet / recommended for	Pigmented inks Piezo / recommended for	Pigmented inks BubbleJet / recommended for	Special characteristics (depending on ink used): Wipefast	Water resistant	Fire resistant Class B1 (DIN 4102)

1.1. Matt printing media

mediaware Production CH 305 SP **(120 g/sqm)**

Coated paper, high resolution, 1440 dpi, for poster plots in photo quality, universal paper with excellent price / performance ratio

5949210297	200 sheets	DIN A4		
5949297420	200 sheets	DIN A3		
5949330483	200 sheets	DIN A3+		
5949420594	200 sheets	DIN A2		
5949480628	200 sheets	DIN A2+		
5949594841	200 sheets	DIN A1		
5949625914	200 sheets	DIN A1+		
5949329015	roll	32,9 cm x 15 m (13")	2"	
5949432035	roll	43,2 cm x 35 m (17")	3" *)	
5949610035	roll	61,0 cm x 35 m (24")	2"	
5949914035	roll	91,4 cm x 35 m (36")	2"	
5949107035	roll	106,7 cm x 35 m (42")	2"	
5949111035	roll	111,8 cm x 35 m (44")	2"	
5949127035	roll	127,0 cm x 35 m (50")	2"	
5949135035	roll	135,0 cm x 35 m (53,125")	3" *)	
5949137035	roll	137,0 cm x 35 m (54")	2"	
5949152035	roll	152,4 cm x 35 m (60")	2"	
5949999998	**Sample**	43,2 cm x 5 m (17")	3" *)	

***) All roll units are supplied with each two adapters 3" to 2" core.**

mediaware®
Production

Printing media	NEW	part no.	unit	size	core	Dye inks Piezo / recommended for	Dye inks BubbleJet / recommended for	Pigmented inks Piezo / recommended for	Pigmented inks BubbleJet / recommended for	Special characteristics (depending on ink used): Wipefast	Water resistant	Fire resistant Class B1 (DIN 4102)

1.1. Matt printing media

mediaware Production CH 340 Premium **(120 g/sqm)**

Premium coated paper, very high resolution, 5760 dpi, for poster plots in photo quality, excellent printing results especially when using pigmented inks.

5984210297	100 sheets	DIN A4	
5984297420	100 sheets	DIN A3	
5984330483	100 sheets	DIN A3+	
5984420594	100 sheets	DIN A2	
5984480628	100 sheets	DIN A2+	
5984594841	100 sheets	DIN A1	
5984625914	100 sheets	DIN A1+	
5984841118	100 sheets	DIN A0	
5984914125	100 sheets	DIN A0++	
5984250035	roll	25,0 cm x 35 m (10")	2"
5984297035	roll	29,7 cm x 35 m (11,7")	2"
5984297050	roll	29,7 cm x 50 m (11,7")	3" *)
5984420035	roll	42,0 cm x 35 m (16,5")	2"
5984432036	roll	43,2 cm x 35 m (17")	3" *)
5984594050	roll	59,4 cm x 50 m (23,4")	3" *)
5984610035	roll	61,0 cm x 35 m (24")	2"
5984914035	roll	91,4 cm x 35 m (36")	2"
5984914050	roll	91,4 cm x 50 m (36")	3"
5984107035	roll	106,7 cm x 35 m (42")	2"
5984107050	roll	106,7 cm x 50 m (42")	3" *)
5984112035	roll	111,8 cm x 35 m (44")	2"
5984127035	roll	127,0 cm x 35 m (50")	2"
5984135035	roll	135,0 cm x 35 m (53,125")	3"
5984137035	roll	137,0 cm x 35 m (54")	2"
5984137050	roll	137,0 cm x 50 m (54")	3" *)
5984152035	roll	152,4 cm x 35 m (60")	2"
5984157035	roll	157,5 cm x 35 m (62")	2"
5984182035	roll	182,8 cm x 35 m (72")	2"
5984999997	**Sample**	43,2 cm x 5 m (17")	3" *)

***) All roll units are supplied with each two adapters 3" to 2" core.**

mediaware®
Production

1.1. Matt printing media

mediaware Production CH 355 SP (165 g/sqm)

Coated paper, high resolution, 1440 dpi, for poster plots in photo quality, universal paper with excellent price / performance ratio

***) All roll units are supplied with each two adapters 3" to 2" core.**

NEW	part no.	unit	size	core
	5951211297	100 sheets	DIN A4	
	5951297420	100 sheets	DIN A3	
	5951330483	100 sheets	DIN A3+	
	5951420594	100 sheets	DIN A2	
	5951594841	100 sheets	DIN A1	
	5951432021	roll	43,2 cm x 20 m (17")	3" *)
	5951610020	roll	61,0 cm x 20 m (24")	2"
	5951914020	roll	91,4 cm x 20 m (36")	2"
	5951107020	roll	106,7 cm x 20 m (42")	2"
	5951111020	roll	111,8 cm x 20 m (44")	2"
	5951127020	roll	127,0 cm x 20 m (50")	2"
	5951135020	roll	135,0 cm x 20 m (53,125")	3" *)
	5951137020	roll	137,0 cm x 20 m (54")	2"
	5951152020	roll	152,4 cm x 20 m (60")	2"
	5951999998	Sample	43,2 cm x 5 m (17")	3" *)

mediaware Production CH 330 DUO Premium (100 g/sqm)

Premium double side coated paper, high resolution, 2880 dpi, for poster plots in photo quality, excellent printing results especially when using pigmented inks.

***) All roll units are supplied with each two adapters 3" to 2" core.**

NEW	part no.	unit	size	core
	5974210297	200 sheets	DIN A4	
	5974211297	50 sheets	DIN A4	
	5974297420	200 sheets	DIN A3	
	5974330483	200 sheets	DIN A3+	
	5974420594	200 sheets	DIN A2	
	5974841118	200 sheets	DIN A0	
	5974432046	roll	43,2 cm x 45 m (17")	3" *)
	5974610045	roll	61,0 cm x 45 m (24")	2"
	5974914045	roll	91,4 cm x 45 m (36")	2"
	5974107045	roll	106,7 cm x 45 m (42")	2"
NEW	59714107046	roll	106,7 cm x 45 m (42")	3"
	5974107076	roll	106,7 cm x 75 m (42")	3" *)
	5974111045	roll	111,8 cm x 45 m (44")	2"
NEW	5974127045	roll	127,0 cm x 45 m (50")	2"
	5974152045	roll	152,4 cm x 45 m (60")	2"
	5974999998	Sample	43,2 cm x 5 m (17")	3" *)

Printing media	Dye inks Piezo	Dye inks BubbleJet	Pigmented inks Piezo	Pigmented inks BubbleJet	Wipefast	Water resistant	Fire resistant Class B1 (DIN 4102)
	recommended for				Special characteristics (depending on ink used)		

mediaware®
Production

Printing media

1.1. Matt printing media

mediaware DIL Preproofer DUO Matt (100 g/sqm)

Preproofer DUO

Premium double side coated paper, high resolution, 1440 dpi for DUAL Proofs with the DIL Preproofer

NEW	part no.	unit	size	core	Dye inks Piezo	Dye inks BubbleJet	Pigmented inks Piezo	Pigmented inks BubbleJet	Wipefast	Water resistant	Fire resistant Class B1 (DIN 4102)
	5938610060	roll	61,0 cm x 60 m (24")	6"	■	■	■	■	WIPE FAST		
	5938112060	roll	111,8 cm x 60 m (44")	6"							
	5938999997	Sample	61,0 cm x 5 m (24")	6"							
	5938999998	Sample	111,8 cm x 5 m (44")	6"							

mediaware Production CH 345 DUO (130 g/sqm)

DUO

Premium double side coated paper, high resolution, 1440 dpi

***) All roll units are supplied with each two adapters 3" to 2" core.**

NEW	part no.	unit	size	core	Dye inks Piezo	Dye inks BubbleJet	Pigmented inks Piezo	Pigmented inks BubbleJet	Wipefast	Water resistant	Fire resistant Class B1 (DIN 4102)
	5939210297	100 sheets	DIN A4		■	■	■	■	WIPE FAST		
	5939297420	100 sheets	DIN A3								
	5939330483	100 sheets	DIN A3+								
	5939420594	100 sheets	DIN A2								
	5939594841	100 sheets	DIN A1								
	5939432036	roll	43,2 cm x 35 m (17")	3" *)							
	5939610035	roll	61,0 cm x 35 m (24")	2"							
	5939914035	roll	91,4 cm x 35 m (36")	2"							
	5939107035	roll	106,7 cm x 35 m (42")	2"							
	5939107036	roll	106,7 cm x 35 m (42")	3" *)							
	5939111035	roll	111,8 cm x 35 m (44")	2"							
	5939999997	Sample	43,2 cm x 5 m (17")	3" *)							

mediaware Production CH 355 DUO (170 g/sqm)

DUO

Premium double side coated paper, high resolution, 1440 dpi, e. g. for poster plots, tickets, business cards, invitations, certificates, menus etc.

***) All roll units are supplied with each two adapters 3" to 2" core.**

NEW	part no.	unit	size	core	Dye inks Piezo	Dye inks BubbleJet	Pigmented inks Piezo	Pigmented inks BubbleJet	Wipefast	Water resistant	Fire resistant Class B1 (DIN 4102)
	5946210297	100 sheets	DIN A4		■	■	■	■	WIPE FAST		
	5946297420	100 sheets	DIN A3								
	5946330483	100 sheets	DIN A3+								
	5946420594	100 sheets	DIN A2								
	5946594841	100 sheets	DIN A1								
NEW	5946432021	roll	43,2 cm x 20 m (17")	3" *)							
NEW	5946610021	roll	61,0 cm x 20 m (24")	3" *)							
NEW	5946914021	roll	91,4 cm x 20 m (36")	3" *)							
NEW	5946107021	roll	106,7 cm x 20 m (42")	3" *)							
NEW	5946111021	roll	106,7 cm x 20 m (44")	3" *)							
NEW	5946999997	Sample	43,2 cm x 5 m (17")	3" *)							

mediaware®
Production

Printing media	NEW	part no.	unit	size	core	Dye inks Piezo / recommended for	Dye inks BubbleJet / recommended for	Pigmented inks Piezo / recommended for	Pigmented inks BubbleJet / recommended for	Special characteristics (depending on ink used): Wipefast	Water resistant	Fire resistant Class B1 (DIN 4102)
1.1. Matt printing media												
mediaware Production CHFR/II **(125 g/sqm)**						■	■	■	■	WIPE FAST		FIRE RESISTANT B1
Coated paper, high resolution, 1440 dpi, for applications in rooms with fire protection regulations		6036210297	50 sheets	DIN A4								
		6036297420	50 sheets	DIN A3								
		6036330483	50 sheets	DIN A3+								
		6036420594	100 sheets	DIN A2								
		6036432031	roll	43,2 cm x 30 m (17")	3" *)							
		6036610031	roll	61,0 cm x 30 m (24")	3" *)							
		6036914030	roll	91,4 cm x 30 m (36")	2"							
		6036914031	roll	91,4 cm x 30 m (36")	3" *)							
***) All roll units are supplied with each two adapters 3" to 2" core.**		6036999997	**Sample**	43,2 cm x 5 m (17")	3" *)							
mediaware Production CHWF **(140 g/sqm)**						■	■	■	■	WIPE FAST	WATER RESISTANT	
Coated paper, high resolution, for poster plots		6031210297	50 sheets	DIN A4								
		6031297420	50 sheets	DIN A3								
		6031330483	50 sheets	DIN A3+								
		6031420594	100 sheets	DIN A2								
		6031432021	roll	43,2 cm x 20 m (17")	3" *)							
		6031610020	roll	61,0 cm x 20 m (24")	2"							
		6031914020	roll	91,4 cm x 20 m (36")	2"							
		6031107020	roll	106,7 cm x 20 m (42")	2"							
		6031111020	roll	111,8 cm x 20 m (44")	2"							
		6031127020	roll	127,0 cm x 20 m (50")	2"							
		6031135020	roll	135,0 cm x 20 m (53,125")	3" *)							
		6031137020	roll	137,0 cm x 20 m (54")	2"							
***) All roll units are supplied with each two adapters 3" to 2" core.**		6031999998	**Sample**	43,2 cm x 5 m (17")	3" *)							

mediaware®
Production

1.1. Matt printing media

mediaware Production Synthetic Paper WF (90 g/sqm)

Polypropylene, strong and durable paper-like product, water resistant in combination with pigmented inks

*) All roll units are supplied with each two adapters 3" to 2" core.

NEW	part no.	unit	size	core
NEW	6054210297	50 sheets	DIN A4	
NEW	6054297420	50 sheets	DIN A3	
NEW	6054420594	100 sheets	DIN A2	
	6054432046	roll	43,2 cm x 45 m (17")	3" *)
	6054610045	roll	61,0 cm x 45 m (24")	2"
	6054914045	roll	91,4 cm x 45 m (36")	2"
	6054914046	roll	91,4 cm x 45 m (36")	3" *)
	6054107045	roll	106,7 cm x 45 m (42")	2"
	6054111045	roll	111,8 cm x 45 m (44")	2"
	6054127045	roll	127,0 cm x 45 m (50")	2"
	6054135045	roll	135,0 cm x 45 m (53,125")	3" *)
	6054137045	roll	137,0 cm x 45 m (54")	2"
	6054137046	roll	137,0 cm x 45 m (54")	3" *)
	6054152045	roll	152,4 cm x 45 m (60")	2"
	6054999997	Sample	43,2 cm x 5 m (17")	3" *)

mediaware Production Tyvek WF (150 g/sqm)

Strong, tear proof, paper-like product, e. g. for banner printing and other outdoor applications

*) All roll units are supplied with each two adapters 3" to 2" core.

6034210297	50 sheets	DIN A4	
6034297420	50 sheets	DIN A3	
6034330483	50 sheets	DIN A3+	
6034420594	100 sheets	DIN A2	
6034329010	roll	32,9 cm x 10 m (13")	2"
6034420010	roll	42,0 cm x 10 m (16,5")	1"
6034432021	roll	43,2 cm x 20 m (17")	3" *)
6034610020	roll	61,0 cm x 20 m (24")	2"
6034914020	roll	91,4 cm x 20 m (36")	2"
6034107020	roll	106,7 cm x 20 m (42")	2"
6034112020	roll	111,8 cm x 20 m (44")	2"
6034127020	roll	127,0 cm x 20 m (50")	2"
6034135020	roll	135,0 cm x 20 m (53,125")	3" *)
6034137020	roll	137,0 cm x 20 m (54")	2"
6034999998	Sample	43,2 cm x 5 m (17")	3" *)

Printing media	Dye inks Piezo	Dye inks BubbleJet	Pigmented inks Piezo	Pigmented inks BubbleJet	Wipefast	Water resistant	Fire resistant Class B1 (DIN 4102)
	recommended for				Special characteristics (depending on ink used)		

mediaware®
Production

Printing media	NEW	part no.	unit	size	core	Dye inks Piezo / recommended for	Dye inks BubbleJet / recommended for	Pigmented inks Piezo / recommended for	Pigmented inks BubbleJet / recommended for	Special characteristics (depending on ink used): Wipefast	Water resistant	Fire resistant Class B1 (DIN 4102)

1.1. Matt printing media

mediaware Production Vinyl Banner WR/II **(510 µ)**

Very heavy vinyl (tarpaulin material), non self-adhesive, water resistant in combination with pigmented inks

***) All roll units are supplied with each two adapters 3" to 2" core.**

	6752432016	roll	43,2 cm x 15 m (17")	3" *)	■	■	■	■	■	■	
	6752610015	roll	61,0 cm x 15 m (24")	2"	■	■	■	■	■	■	
	6752914015	roll	91,4 cm x 15 m (36")	2"	■	■	■	■	■	■	
	6752107015	roll	106,7 cm x 15 m (42")	2"	■	■	■	■	■	■	
	6752112015	roll	111,8 cm x 15 m (44")	2"	■	■	■	■	■	■	
	6752127015	roll	127,0 cm x 15 m (50")	2"	■	■	■	■	■	■	
	6752999998	**Sample**	43,2 cm x 5 m (17")	3" *)	■	■	■	■	■	■	

1.2. Glossy and semi matt printing media

mediaware Production CHSWF 'Heavy' Glossy **(180 g/sqm)**

Cast coated glossy paper, high resolution, 1440 dpi, very fast drying

	6028210297	50 sheets	DIN A4		■	■		■	■		
	6028297420	50 sheets	DIN A3		■	■		■	■		
	6028330483	50 sheets	DIN A3+		■	■		■	■		
	6028420594	100 sheets	DIN A2		■	■		■	■		
	6028594841	100 sheets	DIN A1		■	■		■	■		
	6028210010	roll	21,0 cm x 10 m (8,3")	2"	■	■		■	■		
	6028329010	roll	32,9 cm x 10 m (13")	2"	■	■		■	■		
	6028420010	roll	42,0 cm x 10 m (16,5")	1"	■	■		■	■		
	6028610020	roll	61,0 cm x 20 m (24")	2"	■	■		■	■		
	6028914020	roll	91,4 cm x 20 m (36")	2"	■	■		■	■		
	6028914031	roll	91,4 cm x 30 m (36")	3" *)	■	■		■	■		
	6028107020	roll	106,7 cm x 20 m (42")	2"	■	■		■	■		
	6028111020	roll	111,8 cm x 20 m (44")	2"	■	■		■	■		
	6028127020	roll	127,0 cm x 20 m (50")	2"	■	■		■	■		
	6028132020	roll	132,0 cm x 20 m (52")	2"	■	■		■	■		
	6028135020	roll	135,0 cm x 20 m (53,125")	3" *)	■	■		■	■		
	6028137020	roll	137,0 cm x 20 m (54")	2"	■	■		■	■		
	6028152020	roll	152,4 cm x 20 m (60")	2"	■	■		■	■		
	6028999999	**Sample**	61,0 cm x 5 m (24")	2"	■	■		■	■		

mediaware®
Production

1.2. Glossy and semi matt printing media

Printing media	NEW	part no.	unit	size	core	recommended for: Dye inks Piezo	Dye inks BubbleJet	Pigmented inks Piezo	Pigmented inks BubbleJet	Special characteristics (depending on ink used): Wipefast	Water resistant	Fire resistant Class B1 (DIN 4102)
mediaware Production CHS-GLU/II Glossy (190 g/sqm)												
Glossy paper, PE coated, high resolution, microporous, 2880 dpi, suitable for both hot and cold lamination		6021210297	50 sheets	DIN A4								
		6021297420	50 sheets	DIN A3								
		6021330483	50 sheets	DIN A3+								
		6021420594	100 sheets	DIN A2								
		6021480628	100 sheets	DIN A2+								
		6021594841	100 sheets	DIN A1								
		6021625914	100 sheets	DIN A1+								
		6021841118	100 sheets	DIN A0								
		6021914125	100 sheets	DIN A0++								
		6021432031	roll	43,2 cm x 30 m (17")	3" *)							
		6021610030	roll	61,0 cm x 30 m (24")	2"							
		6021914030	roll	91,4 cm x 30 m (36")	2"							
		6021107030	roll	106,7 cm x 30 m (42")	2"							
		6021111030	roll	111,8 cm x 30 m (44")	2"							
		6021127030	roll	127,0 cm x 30 m (50")	2"							
		6021132030	roll	132,0 cm x 30 m (52")	2"							
		6021137030	roll	137,0 cm x 30 m (54")	2"							
		6021152030	roll	152,4 cm x 30 m (60")	2"							
***) All roll units are supplied with each two adapters 3" to 2" core.**		6021999998	**Sample**	43,2 cm x 5 m (17")	3" *)							
mediaware Production DuoGloss MP (245 g/sqm)												
DUO Double-side coated PE microporous Glossy Paper, instant dry, wipefast, 5760 dpi	**NEW**	6754210297	50 sheets	DIN A4								
	NEW	6754297420	50 sheets	DIN A3								
	NEW	6754330483	50 sheets	DIN A3+								
	NEW	6754420594	100 sheets	DIN A2								

mediaware®
Production

Printing media	NEW	part no.	unit	size	core	Dye inks Piezo / recommended for	Dye inks BubbleJet / recommended for	Pigmented inks Piezo / recommended for	Pigmented inks BubbleJet / recommended for	Special characteristics (depending on ink used): Wipefast	Water resistant	Fire resistant Class B1 (DIN 4102)

1.2. Glossy and semi matt printing media

mediaware Production SCPP135 Semimatt **(135 g/sqm)**

Semi matt paper, high resolution, 1440 dpi, fast drying, wipefast

***) All roll units are supplied with each two adapters 3" to 2" core.**

part no.	unit	size	core	Dye inks Piezo	Dye inks BubbleJet	Pigmented inks Piezo	Pigmented inks BubbleJet	Wipefast	Water resistant	Fire resistant Class B1 (DIN 4102)
6506210297	100 sheets	DIN A4		■	■	■	■	WIPE FAST		
6506297420	100 sheets	DIN A3								
6506330483	100 sheets	DIN A3+								
6506420594	100 sheets	DIN A2								
6506432031	roll	43,2 cm x 30 m (17")	3" *)							
6506610030	roll	61,0 cm x 30 m (24")	2"							
6506914030	roll	91,4 cm x 30 m (36")	2"							
6506107030	roll	106,7 cm x 30 m (42")	2"							
6506111030	roll	111,8 cm x 30 m (44")	2"							
6506127030	roll	127,0 cm x 30 m (50")	2"							
6506137030	roll	137,2 cm x 30 m (54")	2"							
6506152030	roll	152,4 cm x 30 m (60")	2"							
6506999998	**Sample**	43,2 cm x 5 m (17")	3" *)							

mediaware®
Production

1.2. Glossy and semi matt printing media

mediaware Production CHS-SMU/II Semiglossy **(190 g/sqm)**

Semi matt paper, PE coated, microporous, high resolution, 2880 dpi, suitable for both hot and cold lamination

***) All roll units are supplied with each two adapters 3'' to 2'' core.**

Printing media	NEW	part no.	unit	size	core	Dye inks Piezo	Dye inks BubbleJet	Pigmented inks Piezo	Pigmented inks BubbleJet	Wipefast	Water resistant	Fire resistant Class B1 (DIN 4102)
						recommended for				Special characteristics (depending on ink used)		
		6022210297	50 sheets	DIN A4								
		6022297420	50 sheets	DIN A3								
		6022330483	50 sheets	DIN A3+								
		6022420594	100 sheets	DIN A2								
		6022480628	100 sheets	DIN A2+								
		6022594841	100 sheets	DIN A1								
		6022625914	100 sheets	DIN A1+								
		6022841118	100 sheets	DIN A0								
		6022914125	100 sheets	DIN A0++								
		6022329030	roll	32,9 cm x 30 m (13")	2"							
		6022360030	roll	36,0 cm x 30 m (14,17")	2"							
		6022432031	roll	43,2 cm x 30 m (17")	3" *)							
		6022610030	roll	61,0 cm x 30 m (24")	2"							
		6022914030	roll	91,4 cm x 30 m (36")	2"							
		6022107030	roll	106,7 cm x 30 m (42")	2"							
		6022111030	roll	111,8 cm x 30 m (44")	2"							
		6022127030	roll	127,0 cm x 30 m (50")	2"							
		6022132030	roll	132,0 cm x 30 m (52")	2"							
		6022137030	roll	137,0 cm x 30 m (54")	2"							
		6022152030	roll	152,4 cm x 30 m (60")	2"							
		6022999998	Sample	43,2 cm x 5 m (17")	3" *)							

mediaware®
Production

1.2. Glossy and semi matt printing media

Printing media	NEW	part no.	unit	size	core	Dye inks Piezo / Dye inks BubbleJet / Pigmented inks Piezo / Pigmented inks BubbleJet — recommended for	Wipefast / Water resistant / Fire resistant Class B1 (DIN 4102) — Special characteristics (depending on ink used)
mediaware Production CPGWF/II Semimatt (150 g/sqm)							
Universal semi matt paper, high resolution, 1440 dpi, very fast drying		6510210297	100 sheets	DIN A4			
		6510297420	100 sheets	DIN A3			
		6510330483	100 sheets	DIN A3+			
		6510420594	100 sheets	DIN A2			
		6510432031	roll	43,2 cm x 30 m (17")	3" *)		
		6510457030	roll	45,7 cm x 30 m (18")	2"		
		6510610030	roll	61,0 cm x 30 m (24")	2"		
		6510914030	roll	91,4 cm x 30 m (36")	2"		
		6510914031	roll	91,4 cm x 30 m (36")	3" *)		
		6510107030	roll	106,7 cm x 30 m (42")	2"		
		6510111030	roll	111,8 cm x 30 m (44")	2"		
		6510127030	roll	127,0 cm x 30 m (50")	2"		
		6510132030	roll	132,0 cm x 30 m (52")	2"		
		6510135031	roll	135,0 cm x 30 m (53,125")	3" *)		
		6510137030	roll	137,0 cm x 30 m (54")	2"		
		6510137031	roll	137,0 cm x 30 m (54")	3" *)		
		6510152030	roll	152,4 cm x 30 m (60")	2"		
		6510999997	**Sample**	43,2 cm x 5 m (17")	3" *)		
***) All roll units are supplied with each two adapters 3" to 2" core.**							
mediaware Production CPGWF/II DUO Semimatt (170 g/sqm)							
Universal semi matt paper, high resolution, 1440 dpi, printable on both sides, very fast drying		6514210297	100 sheets	DIN A4			
		6514297420	100 sheets	DIN A3			
		6514330483	100 sheets	DIN A3+			
		6514420594	100 sheets	DIN A2			
		6514432031	roll	43,2 cm x 30 m (17")	3" *)		
		6514610030	roll	61,0 cm x 30 m (24")	2"		
		6514914030	roll	91,4 cm x 30 m (36")	2"		
		6514107030	roll	106,7 cm x 30 m (42")	2"		
		6514111030	roll	111,8 cm x 30 m (44")	2"		
		6514999998	**Sample**	43,2 cm x 5 m (17")	3" *)		
***) All roll units are supplied with each two adapters 3" to 2" core.**							

mediaware®
Production

Printing media	NEW	part no.	unit	size	core	Dye inks Piezo / Dye inks BubbleJet / Pigmented inks Piezo / Pigmented inks BubbleJet — recommended for	Wipefast / Water resistant / Fire resistant Class B1 (DIN 4102) — Special characteristics (depending on ink used)
1.2. Glossy- und semimatte Bedruckstoffe							
mediaware DIL Preproofer DUO Semimatt (170 g/sqm)							
Preproofer DUO **Premium double side semimatt coated paper,** high resolution, 1440 dpi for DUAL Proofs with the DIL Preproofer		6518610032	roll	61,0 cm x 30 m (24")	6"		
		6518111032	roll	111,8 cm x 30 m (44")	6"		
		6518999997	Sample	61,0 cm x 5 m (24")	6"		
		6518999998	Sample	111,8 cm x 5 m (44")	6"		
1.3. Transparent printing media							
mediaware Production Transparentpapier (95 g/sqm)							
Uncoated transparent paper for monochrome and colorline CAD, engineering and architectural applications		5990210297	200 sheets	DIN A4			
		5990297420	200 sheets	DIN A3			
		5990330483	200 sheets	DIN A3+			
		5990420594	200 sheets	DIN A2			
		5990480628	200 sheets	DIN A2+			
		5990594841	200 sheets	DIN A1			
		5990625914	200 sheets	DIN A1+			
		5990841118	200 sheets	DIN A0			
		5990914125	200 sheets	DIN A0++			
		5990610050	roll	61,0 cm x 50 m (24")	2"		
		5990914050	roll	91,4 cm x 50 m (36")	2"		
		5990999999	Sample	61,0 cm x 5 m (24")	2"		

mediaware® Production

Printing media	NEW	part no.	unit	size	core	Dye inks Piezo	Dye inks BubbleJet	Pigmented inks Piezo	Pigmented inks BubbleJet	Wipefast	Water resistant	Fire resistant Class B1 (DIN 4102)
						recommended for				Special characteristics (depending on ink used)		
1.3. Transparent printing media												
mediaware Production Screen Film (139 µ)												
Crystal clear transparent film, polyester based, to be used as intermediate for offset and screen printing, also for poster and CAD applications		6023210297	100 sheets	DIN A4								
		6023297420	100 sheets	DIN A3								
		6023330483	100 sheets	DIN A3+								
		6023420594	100 sheets	DIN A2								
		6023420015	roll	42,0 cm x 15,0 m (16')	1"							
	NEW	6023420030	roll	42,0 cm x 30,5 m (16')	2"							
		6023432031	roll	43,2 cm x 30,5 m (17")	3" *)							
		6023457030	roll	45,7 cm x 30,5 m (18")	2"							
		6023610030	roll	61,0 cm x 30,5 m (24")	2"							
		6023914030	roll	91,4 cm x 30,5 m (36")	2"							
		6023107030	roll	106,7 cm x 30,5 m (42")	2"							
		6023111030	roll	111,8 cm x 30,5 m (44")	2"							
		6023127030	roll	127,0 cm x 30,5 m (50")	2"							
		6023137030	roll	137,2 cm x 30,5 m (54")	2"							
		6023152030	roll	152,4 cm x 30,5 m (60")	2"							
***) All roll units are supplied with each two adapters 3" to 2" core.**		6023999996	**Sample**	43,2 cm x 5 m (17")	3" *)							
mediaware Production Screen Film Sensor (139 µ)												
Crystal clear transparent film, with Sensor stripe, especially for use in HP	NEW	6756914030	roll	91,4 cm x 30,5 m (36")	2"							
	NEW	6756107030	roll	106,7 cm x 30,5 m (42")	2"							

mediaware® Production

1.3. Transparent printing media

Printing media	NEW	part no.	unit	size	core	Dye inks Piezo	Dye inks BubbleJet	Pigmented inks Piezo	Pigmented inks BubbleJet	Wipefast	Water resistant	Fire resistant Class B1 (DIN 4102)
						recommended for				Special characteristics (depending on ink used)		
mediaware Production Backlit MP Universal (140 µ)												
Matt translucent polyester film for indoor and outdoor applications in light boxes, especially suitable for applications under high humidity and condensation conditions, universal use, instant drying and water resistant.		6541432021	roll	43,2 cm x 20 m (17")	3" *)					WIPE FAST	WATER RESISTANT	
		6541610020	roll	61,0 cm x 20 m (24")	2"							
		6541914020	roll	91,4 cm x 20 m (36")	2"							
		6541107020	roll	106,7 cm x 20 m (42")	2"							
		6541111020	roll	111,8 cm x 20 m (44")	2"							
		6541127020	roll	127,0 cm x 20 m (50")	2"							
		6541137020	roll	137,2 cm x 20 m (54")	2"							
		6541152020	roll	152,4 cm x 20 m (60")	2"							
***) All roll units are supplied with each two adapters 3" to 2" core.**		6541999997	**Sample**	43,2 cm x 5 m (17")	3" *)							
mediaware Production Backlit Premium WF (145 µ)												
Polyester film for front printing reaching brilliant results in premium quality, extremely high resolution, especially suitable for applications under high humidity and condensation conditions, water resistant, universal use.		6057210297	50 sheets	DIN A4						WIPE FAST	WATER RESISTANT	
		6057297420	50 sheets	DIN A3								
		6057330483	50 sheets	DIN A3+								
		6057420594	100 sheets	DIN A2								
		6057432021	roll	43,2 cm x 20 m (17")	3" *)							
		6057610020	roll	61,0 cm x 20 m (24")	2"							
		6057914020	roll	91,4 cm x 20 m (36")	2"							
		6057107020	roll	106,7 cm x 20 m (42")	2"							
		6057111020	roll	111,8 cm x 20 m (44")	2"							
		6057127020	roll	127,0 cm x 20 m (50")	2"							
		6057135020	roll	135,0 cm x 20 m (53,125")	3" *)							
		6057137020	roll	137,0 cm x 20 m (54")	2"							
***) All roll units are supplied with each two adapters 3" to 2" core.**		6057999998	**Sample**	43,2 cm x 5 m (17")	3" *)							

mediaware®
Production

1.4. Self-adhesive printing media

Printing media	NEW	part no.	unit	size	core	Dye inks Piezo	Dye inks BubbleJet	Pigmented inks Piezo	Pigmented inks BubbleJet	Wipefast	Water resistant	Fire resistant Class B1 (DIN 4102)
						recommended for				Special characteristics (depending on ink used)		
mediaware Production 177 Matt **(190 g/sqm)**												
120 g/sqm w/o paperback 190 g/sqm with paperback		5993210297	50 sheets	DIN A4								
Self-adhesive paper, matt, high resolution, 1440 dpi		5993297420	50 sheets	DIN A3								
		5993420594	100 sheets	DIN A2								
		5993432021	roll	43,2 cm x 20 m (17")	3" *)							
		5993610020	roll	61,0 cm x 20 m (24")	2"							
		5993914020	roll	91,4 cm x 20 m (36")	2"							
		5993914021	roll	91,4 cm x 20 m (36")	3" *)							
		5993111020	roll	111,8 cm x 20 m (44")	2"							
		5993127020	roll	127,0 cm x 20 m (50")	2"							
		5993127021	roll	127,0 cm x 20 m (50")	3" *)							
		5993999997	Sample	43,2 cm x 5 m (17")	3" *)							
*) All roll units are supplied with each two adapters 3" to 2" core.												
mediaware Production CHS-SMU/II SK Semiglossy **(280 g/sqm)**												
190 g/sqm w/o backing 280 g/sqm with backing		6026210297	50 sheets	DIN A4								
Self-adhesive semi matt paper, PE coated, high resolution, 2880 dpi, suitable for both hot and cold lamination		6026297420	50 sheets	DIN A3								
		6026330483	50 sheets	DIN A3+								
		6026420594	100 sheets	DIN A2								
		6026480628	100 sheets	DIN A2+								
		6026594841	100 sheets	DIN A1								
		6026625914	100 sheets	DIN A1+								
		6026841118	100 sheets	DIN A0								
		6026914125	100 sheets	DIN A0++								
		6026432021	roll	43,2 cm x 20 m (17")	3" *)							
		6026610020	roll	61,0 cm x 20 m (24")	2"							
		6026914020	roll	91,4 cm x 20 m (36")	2"							
		6026107020	roll	106,7 cm x 20 m (42")	2"							
		6026111020	roll	111,8 cm x 20 m (44")	2"							
		6026127020	roll	127,0 cm x 20 m (50")	2"							
		6026132020	roll	132,0 cm x 20 m (52")	2"							
		6026137020	roll	137,0 cm x 20 m (54")	2"							
		6026999998	Sample	43,2 cm x 5 m (17")	3" *)							
*) All roll units are supplied with each two adapters 3" to 2" core.												

mediaware® Production

1.4. Self-adhesive printing media

Printing media	NEW	part no.	unit	size	core	Dye inks Piezo	Dye inks BubbleJet	Pigmented inks Piezo	Pigmented inks BubbleJet	Wipefast	Water resistant	Fire resistant Class B1 (DIN 4102)
						recommended for				Special characteristics (depending on ink used)		
mediaware Production CHS-GLU/II SK Glossy (280 g/sqm)												
190 g/sqm w/o backing 280 g/sqm with backing Self-adhesive glossy paper, PE coated, high resolution, 2880 dpi, suitable for both hot and cold lamination		6027210297	50 sheets	DIN A4						WIPE FAST		
		6027297420	50 sheets	DIN A3								
		6027330483	50 sheets	DIN A3+								
		6027420594	100 sheets	DIN A2								
		6027480628	100 sheets	DIN A2+								
		6027594841	100 sheets	DIN A1								
		6027625914	100 sheets	DIN A1+								
		6027841118	100 sheets	DIN A0								
		6027914125	100 sheets	DIN A0++								
		6027432021	roll	43,2 cm x 20 m (17")	3" *)							
		6027610020	roll	61,0 cm x 20 m (24")	2"							
		6027914020	roll	91,4 cm x 20 m (36")	2"							
		6027107020	roll	106,7 cm x 20 m (42")	2"							
		6027111020	roll	111,8 cm x 20 m (44")	2"							
		6027127020	roll	127,0 cm x 20 m (50")	2"							
		6027132020	roll	132,0 cm x 20 m (52")	2"							
		6027137020	roll	137,0 cm x 20 m (54")	2"							
*) All roll units are supplied with each two adapters 3" to 2" core.		6027999998	Sample	43,2 cm x 5 m (17")	3" *)							
mediaware Production Synthetic Paper WF/SK Matt (160 g/sqm)												
90 g/sqm w/o paperback 160 g/sqm with paperback Self-adhesive polypropylene, strong and durable paper-like product, water resistant in combination with pigmented inks	NEW	6505432021	roll	43,2 cm x 20 m (17")	3" *)					WIPE FAST	WATER RESISTANT	
	NEW	6505610021	roll	61,0 cm x 20 m (24")	3" *)							
	NEW	6505914021	roll	91,4 cm x 20 m (36")	3" *)							
	NEW	6505107021	roll	106,7 cm x 20 m (42")	3" *)							
	NEW	6505111021	roll	111,8 cm x 20 m (44")	3" *)							
	NEW	6505127021	roll	127,0 cm x 20 m (50")	3" *)							
*) All roll units are supplied with each two adapters 3" to 2" core.	NEW	6505999997	Sample	43,2 cm x 5 m (17")	3" *)							

mediaware®
Production

Printing media	NEW	part no.	unit	size	core	Dye inks Piezo / Dye inks BubbleJet / Pigmented inks Piezo / Pigmented inks BubbleJet — recommended for	Wipefast / Water resistant / Fire resistant Class B1 (DIN 4102) — Special characteristics (depending on ink used)
1.4. Self-adhesive printing media							
mediaware Production Vinyl WR/SK Matt (300 µ)							
175 g/sqm w/o paperback 315 g/sqm with paperback Self-adhesive polypropylene, strong and durable paper-like product, water resistant in combination with pigmented inks		6030210297	50 sheets	DIN A4			
		6030297420	50 sheets	DIN A3			
		6030330483	50 sheets	DIN A3+			
		6030420594	100 sheets	DIN A2			
		6030432021	roll	43,2 cm x 20 m (17")	3" *)		
		6030610020	roll	61,0 cm x 20 m (24")	2"		
		6030914020	roll	91,4 cm x 20 m (36")	2"		
		6030107020	roll	106,7 cm x 20 m (42")	2"		
		6030112020	roll	111,8 cm x 20 m (44")	2"		
		6030127020	roll	127,0 cm x 20 m (50")	2"		
		6030137020	roll	137,2 cm x 20 m (54")	2"		
		6030152020	roll	152,4 cm x 20 m (60")	2"		
*) All roll units are supplied with each two adapters 3" to 2" core.		6030999998	Sample	43,2 cm x 5 m (17")	3" *)		
1.5. Transfer papers							
mediaware Production UNIVERSAL Transferpapier (170 g/sqm)							
Transferable Inkjet coated film with removable basis paper. For photo-realistic printouts to transfer on textiles, vinyl and different substrate		6043210297	10 sheets	DIN A4			
		6043297420	10 sheets	DIN A3			
		6043914020	roll	91,4 cm x 20 m (36")	2"		
		6043914021	roll	91,4 cm x 20 m (36")	3" *)		
		6043999999	Sample	91,4 cm x 5 m (36")	2"		

mediaware®
Production

Printing media	NEW	part no.	unit	size	core	Dye inks Piezo / recommended for	Dye inks BubbleJet / recommended for	Pigmented inks Piezo / recommended for	Pigmented inks BubbleJet / recommended for	Special characteristics (depending on ink used): Wipefast	Water resistant	Fire resistant Class B1 (DIN 4102)
1.6. Textile and textile-like printing media												
mediaware Production 'Japan-Faser' **(80 g/sqm)**												
Non woven artificial paper, printable on both sides, very strong, suitable for applications in rooms with fire protection regulations		6048210297	50 sheets	DIN A4								
		6048297420	50 sheets	DIN A3								
		6048330483	50 sheets	DIN A3+								
		6048432026	roll	43,2 cm x 25 m (17")	3" *)							
		6048610025	roll	61,0 cm x 25 m (24")	2"							
		6048914025	roll	91,4 cm x 25 m (36")	2"							
		6048107025	roll	106,7 cm x 25 m (42")	2"							
		6048111025	roll	111,8 cm x 25 m (44")	2"							
		6048127025	roll	127,0 cm x 25 m (50")	2"							
		6048137025	roll	137,0 cm x 25 m (54")	2"							
		6048152025	roll	152,4 cm x 25 m (60")	2"							
		6048999998	**Sample**	43,2 cm x 5 m (17")	3" *)							

***) All roll units are supplied with each two adapters 3" to 2" core.**

Product specifications and prices subject to change without prior notice.

Tecco Braun & Frings GmbH
Buchholzstraße 79 - 51469 Bergisch Gladbach - Germany - Phone: +49-(0)2202-2924-0 - Fax: +49-(0)2202-2924-99
e-Mail: contact@tecco.de
http://www.tecco.de

April 2006

Sizes:	*Postcard:*	*100 x 150 mm*
	US-executive:	*184 x 267 mm*
	DIN A4:	*210 x 297 mm*
	US-letter:	*216 x 280 mm*
	US-legal:	*216 x 356 mm*
	SUPER A4:	*241 x 340 mm*
	US-tabloid:	*280 x 432 mm*
	DIN A3:	*297 x 420 mm*
	A3 ÜF:	*305 x 457 mm*
	SRA 3:	*320 x 450 mm*
	SUPER A3:	*328 x 453 mm*
	DIN A3+:	*330 x 483 mm*
	A3++:	*329 x 558 mm*
	DIN A2:	*420 x 594 mm*
	DIN A2+:	*480 x 628 mm*
	DIN A1:	*594 x 841 mm*
	DIN A1+:	*625 x 914 mm*
	DIN A0:	*841 x 1189 mm*
	DIN A0++:	*914 x 1250 mm*
	Banner 1:	*328 x 900 mm*
	Banner 2:	*215 x 1200 mm*
	Banner 3:	*328 x 1200 mm*
	Banner 4:	*297 x 900 mm*
	Banner 5:	*215 x 900 mm*
	Banner 6:	*297 x 840 mm*
	Banner 7:	*297 x 1200 mm*
	Banner 8:	*320 x 1200 mm*